



Hey kids!
Come on
board

Oh Goodie!—
I wonder how many
kids will help? 1, 2, 3,
4, 5, 6, 7...

National Chemistry Week
November 2-8, 1997


Calling all kids
who live, work,
and play on this big
ball floating in space
that we call Planet Earth

We invite you to help with an experiment being done across the entire country. Using supplies from home, school, and this booklet, you can do an experiment and add your data to our nationwide analysis of water hardness.

Check out the activities in this booklet, and look closely on page 6 for details of this nationwide experiment.


PLANET CHEMISTRY

HANDS-ON ACTIVITIES FOR KIDS FROM ALL PLANETS



WHAT? YOUR suds are duds?!

This is chemistry?



What style! what talent! what's wrong with my leg—I think it's stuck!

Hee hee—doesn't Jim realize that his underwear is showing?

These guys sure are good. I'm really getting a super workout

Jim is sure a good sport to play with us even though we stink

I thought we were going to do the Macarena



Whew! I feel like I'm pulling something really heavy

I wonder if Cheryl has noticed the tow rope yet?

And Greg LeMond thought the Pyrenees were tough

Have you ever worked or played really hard?...

So hard that at the end of the day you're dripping sweat, you're dirty, disgusting, and some people even say you stink!

All you really need (and want) is a hot shower or bath with lots of sudsy soap bubbles. You grab your favorite bar of soap and jump in. The water is hot and you start to scrub, but —

WHAT — NO SUDS!?!

Your suds are duds! Your bubbles have troubles! Your soap has no hope! What's going on?

Your problem is not difficult — **it's HARD: HARD WATER!**



Is that a mississippiensis I see in the water?

He doesn't have a clue who I am

What is that guy's name? Randy? Dan? Edmund?

Trail number 80, 81, 82, 83, 84, 85, 86...

She thinks I'm an alligator!

Cast of Characters:

Ms. Screech



Ms. Screech is a strange and enthusiastic chemistry teacher. She always tries to get everyone involved and likes to keep close tabs on all her kids. She is very helpful and will make sure students clean up after themselves. She loves to garden and drive her little blue sporty convertible.

Dr. Ami



Dr. Ami is new and is a bit odd. He teaches science and art and his classes are never boring. He loves doing messy experiments and messier paintings. He is also a bit of a practical joker so don't turn your back on him.

Avogadro



Avogadro likes to count stuff — anything and everything. He has counted so many things, (more than a googol) that he is afraid of losing track. He recently started to count atoms and molecules and has named a new counting unit after himself — he calls it the "mole" and it is a very, very, large number.

Nancy



Nancy recently moved from the neighborhood. She still stops by to do chemistry once in a while and is always ready to lend a hand when needed. She loves dancing and alligators.



Experiment #1

SUPPLIES: EPSOM SALTS, MEASURING SPOONS, A CUP, BAR OF SOAP

1. Mix 1 tablespoon of Epsom salts in 250 mL (1 cup) of warm tap water. Look on the label; it has magnesium sulfate—one of the main culprits (along with calcium carbonate) in hard water.
2. Now, grab a bar of soap and wash your hands. Be sure to make a good lather with lots of bubbles. Then, rinse your hands—get all the soap off them.
3. Ask a partner to pour some of the Epsom salts and water solution into your hands—now try making a lather with the bar of soap like you did before—YUK! Just a little magnesium sulfate can make a big difference.
4. Try mixing 1 teaspoon of Epsom salts with 1 cup of water, and see if you can make a lather.
5. What is the minimum amount of Epsom salts that you can mix with a cup of water and still not make a lather?

Note: Be sure to wash your hands with soap and tap water after finishing the experiment.

If you don't think duddy suds could happen to you, check out this experiment

THE FACTS

What is Hard Water?

Water that has a hard time making a lather when it mixes with soap is called hard. Hard water contains a lot of calcium and/or magnesium that is picked up when the water flows over or through limestone or some other rock that has a lot of calcium or magnesium.

Soap contains long, chainlike molecules that have one end that interacts with water and another end that interacts with dirt and oil to remove them from your skin and clothes. When soap interacts with water, the end that interacts with dirt and oil spreads out, moving away from the water. That spreading is the bubbles that you see.

But if the water contains calcium or magnesium, the soap molecules interact with the calcium and the magnesium before they interact with the water, resulting in scum. Soap scum is soap molecules clumping together. As a result, the soap does not spread out like it does when it interacts with water. So, we can't make bubbles with hard water solutions.

Hard water is bad in your home because it combines with soap to make a scum or film that you can see as a bathtub ring or white crust on the showerhead. Soap scum also sticks to clothes making them look dirty.



Mike

Mike is the new guy and is trying to remember everybody's name. He's a nice guy but kind of klutzy. He likes all kinds of bugs and reading science fiction.

Shirley

Shirley is always smiling. She knows everything and is always willing to lend a helping hand. She likes going to restaurants for dinner. She is especially helpful to the new kids—assisting them to get settled.

Jim

Jim lives in another neighborhood but still comes around to play and help out. He's very creative and is always coming up with wild new ideas for things to do. He likes dogs, cars, and his pet boa constrictor, Squeezum.

Cheryl

Cheryl is always there when you need a friend. She knows everyone. When she's not playing with the kids, she's talking on the phone to someone from another state. She loves to travel and has been to so many places that she's lost track. She recently learned she is moving and is real excited about the chance to make more friends.

Softened water

If we really want to get our clothes or bodies clean with soap, we have to have water and bubbles. The more bubbles, the cleaner we get!

Let's do a simple experiment to see which makes more bubbles; hard or soft water. First, gather all the Supplies listed. Once you have everything, jump down to Experiment #2.

SUPPLIES:

- 2 LARGE CONTAINERS FOR MIXING, 1 L (4 CUPS)
- 2 CLEAR SODA BOTTLES WITH CAPS, ABOUT 600 mL (20 OZ.)
- SMALL PIECE OF CHALK — ABOUT 2.5 CM (1 IN.)
- WHITE VINEGAR
- COMMERCIALLY AVAILABLE WATER SOFTENER*
- LIQUID HAND SOAP
(BE SURE TO USE SOAP AND NOT DETERGENT!**)
- MEASURING CUPS AND MEASURING SPOONS

HAVE FUN!!

*Check the laundry supply aisle at your grocery store.
**Detergent has chemicals called surfactants that make it possible to get bubbles in soft and hard water. Read the label and you will find phrases such as anionic or cationic surfactants. Be sure that you use soap for these activities.

Experiment #2

- Using one of the large containers, dissolve the chalk in 30 mL (2 tablespoons) of vinegar. Let this sit for at least 10 minutes. Watch the solution. Record anything that you observe.

- Add 750 mL (about 3 cups) of water to the dissolved chalk. This is your artificial hard water solution; it contains dissolved calcium from the chalk. Label this "Hard Water."
- Using only one of the unused test strips from page 6, determine the hardness of your hard water solution (you will need the other strips for other experiments). Dip test strip into your water sample for 1 second. After waiting 15 seconds, compare the color on the strip with the colors on the reference chart on page 6. Record this value.
Hard Water Solution _____
- Put 250 mL (1 cup) of the artificial hard water solution into the other large container. (Be careful that any undissolved chalk is left in the hard water container.) Add 250 mL water and 4 tablespoons of water-softening agent. Stir well and wait for at least 10 minutes. (Don't worry if all of the water-softening agent does not dissolve.) This is your softened water solution. Label this "Soft Water."
- Using a second test strip, determine the hardness of your softened water solution as you did in step 3. Record this value.
Softened Water Solution _____
- Now, test how easily you can make suds using the two solutions. Carefully add 250 mL of the artificial hard water solution to one of your



empty soda bottles. Add 250 mL of softened water to the other soda bottle. Be sure to label the bottles. Add two drops of liquid hand soap to each bottle. Put caps on the bottles and shake them. Record your observations.

Did the artificial hard water solution make bubbles? _____
Did the softened water solution make bubbles? _____
Which solution made more bubbles? _____
In which solution did the bubbles last longer? _____

10TH ANNIVERSARY OF NATIONAL CHEMISTRY WEEK DONORS:

Thanks to:

Air Products and Chemicals, Inc.
Alabama Power Company
Albemarle Corporation
Amgen, Inc.
Bristol-Myers Squibb
Pharmaceutical Research
CIBA Pharmaceuticals Division

Corning, Inc.
E. I. du Pont de Nemours
& Company
The DuPont Merck
Pharmaceutical Company
Elf Atochem North America,
Inc.
Eli Lilly and Company
Exxon Chemical Company

The GenCorp Foundation, Inc.
Glaxo Wellcome Research
and Development
Henkel Corporation
Lyondell Petrochemical Company
Merck Research Laboratories
Monsanto Fund
Pfizer Central Research Division
Pharmacia & Upjohn

Schering-Plough Research
Institute
SmithKline Beecham
Pharmaceuticals
Solvay America, Inc.
Warner-Lambert Co.
Wyeth-Ayerst Research
Zeneca Pharmaceuticals

CM^A

CELEBRATING
125
YEARS

INNOVATION
TECHNOLOGY &
RESPONSIBLE CARE[®]
AT WORK

Bubbles Better!



THE FACTS

What's Happening?

When you added vinegar to the chalk, you probably saw some bubbles. These bubbles formed because of a chemical reaction between the vinegar (acetic acid) and the chalk (calcium carbonate). This chemical reaction produces calcium ions (that's what makes water hard) and carbon dioxide gas (the bubbles you may have seen).


When you added the water-softening agent to the hard water solution, you added other chemicals that react very strongly with calcium ions and prevent the calcium from reacting with the soap. This means that the soap molecules can interact with the water to form bubbles.

To make suds, soap molecules must interact with other soap molecules. If a lot of soap molecules interact, you can make a lot of suds. The problem in a hard water solution is that soap molecules would rather interact with the calcium than with other soap molecules. So, hard water solutions don't make a lot of bubbles. By softening the water, you can make more bubbles. And, because soap suds interact better with dirt and oil, a water solution with a lot of bubbles does more cleaning.

Another place you can find a lot of calcium is in milk. Do you think there will be a lot of bubbles if you mix some milk with some hand soap and shake it? Try it and see.

WONDERS SCIENCE

Explore more fun and exciting hands-on science activities with the American Chemical Society's **WonderScience** magazine! For magazine and subscription information, call 800-209-0423.



We've got more hands-on activities! For a free catalog contact the Kids & Chemistry program at 202-872-4381, or e-mail: kids@acs.org

This is It!
The **BIG** Experiment!
Oh goodie!

Gosh. That worm
in my shirt sure feels total
cool. I wonder if Dr. Ami w
let me keep it?

I wish these guys
would get with
the program

Now you are ready!

You've learned a little about hard water, water softening, and how to use the test strips. Now we need you to collect a sample of natural water (NOT tap water) and measure the hardness concentration.

Send us the information about where you collected the water sample and the hardness concentration, and we will assemble all the data and share it with other correspondents. This activity will enlist the talents of thousands of individuals working to achieve a common goal—mapping water hardness across the United States. This type of experiment has never been done before and is an example of doing research on a grand scale.

Experiment #3

1. With the help of an adult volunteer, go out and collect a sample of water from a lake, stream, pond, river, ocean, well, or any other natural source. You don't need much; 1 cup (250 mL) will be plenty. **Do not use tap water!**
2. Using one of the two remaining test strips on this page, determine the hardness of your water sample. All you have to do is dip an unused test strip into your water sample for 1 second. After waiting 15 seconds for the color to develop, compare your test strip with the color chart below. Match the colors, and you will know the hardness concentration of your water sample.
3. Using this information, fill out the form at the bottom of page 7. Submit the data to us via the World Wide Web at <http://www.acs.org/ncw>. (If you don't have Internet access, you can mail or fax the form to us. Our mailing address and fax number are on the form on page 7.)

We will use all of the data submitted to create a map that illustrates the hardness of natural water across the United States. You can view and download the map at <http://www.acs.org/ncw> on the Internet.

If you don't have access to the Internet, send us a self-addressed stamped business envelope, and we will send you a copy of the map that you can share with your parents, teacher, or keep for yourself.

THE FACTS


For best results, use by 8/98.

The Chemistry of the Test Strip


On each test strip there is a chemical that reacts with calcium and magnesium to produce a new compound that is orange. If only a small amount of calcium or magnesium is in the test sample, only a small amount of orange chemical is produced. When the amount of calcium and/or magnesium increases, the orange chemical increases.

The test strip indicates the amount of calcium and magnesium present in the solution by measuring the orange chemical produced.

COLOR CHART Dip the test strip in water for 1 second. Shake off the excess water. Wait 15 seconds. Compare color of test strip to color chart below.



Join us as we
celebrate the 10th
Anniversary of
**National
Chemistry Week**
November 2-8, 1997



National Chemistry Week is the largest outreach program of the American Chemical Society and has been celebrated since 1987. In the past 10 years, volunteers across the country have spread the word that chemistry is fun and that **everything** is chemistry. Through hands-on activities, chemical demonstration programs, and a variety of other events, kids of all ages learn and do chemistry.

Do they think
I'm going to jump
in there?





Chemistry looks FUN!

I wonder when Jim will realize that I stuck a worm down his shirt?

Oh go ahead fishie, jump in

Hmmm. I wonder if it's safe leaning over like this with Cheryl behind me?

Nancy must be crazy leaning over the stream like this with me behind her.

4,652,371,816 Fishies... lots of fishies!



I wonder if Dorothy Foot Hodgkin got her start this way?

I wonder if the cute little tadpoles in this jar will affect the outcome of the experiment?

Wow! There's some pretty nifty stuff at www.acs.org/ncw!

Wow! We seem to have really hard water in this part of the world

Surfs up! 976,348,226,814,933 sites & counting...

DATA FORM

Your Name (optional) _____

Your ZIP Code (needed) _____

Your Age (optional) _____

Source of water sample:
 Lake Stream/River Ocean Well Other

Concentration of hardness ions:
 0 50 120 250 425

Submit on the WWW at:
<http://www.acs.org/ncw>

Or Mail to: NCW— American Chemical Society,
 1155 Sixteenth Street, NW, Washington, DC 20036
 Or Fax to: 202-833-7722

Thanks for Your Help
Celebrate NCW
November 2-8, 1997

Rock formations called stalactites and stalagmites result when hard water drips from the ceiling of a cave. As the water evaporates, the calcium carbonate hardens. If the water drips slowly, a stalactite will form hanging from the roof of the cave and a stalagmite will form on the floor of the cave.


With the assistance of an adult volunteer, you can simulate the formation of stalactites and stalagmites by using Epsom salts.

Experiment #4

SUPPLIES: EPSOM SALTS, A CUP, GLASSES, PAPER CLIPS, UNWAXED COTTON STRING, ALUMINUM FOIL

1. Measure 2/3 cup of Epsom salts into 250 mL (1 cup) of hot tap water. *Be careful not to burn yourself.*
2. Divide the solution into two small glasses or jars. Put a large paper clip onto each end of a 30-cm (12-inch) piece of cotton string.
3. Soak the string for 5 minutes in one of the containers of Epsom salts solution.
4. After spreading foil on your work surface, hang the wet string between the two containers as illustrated.
5. After about 30 minutes, you should see a stalactite growing from the string and a stalagmite growing under the string. Leave the set-up overnight and look at the results in the morning.

Note: Be sure to wash your hands with soap and tap water after finishing the experiment.



THE FACTS

What's Happening?

The solution you made is supersaturated—there is more magnesium sulfate dissolved in the solution than should be possible at room temperature. How can that be?

Remember that we used hot water for this experiment. By using hot water instead of cold water, we were able to dissolve more magnesium sulfate. As the solution drips from the string, the water evaporates and the magnesium sulfate that remains solidifies and creates the stalactite and stalagmite. As the magnesium sulfate crystallizes, we see the results of the evaporation process.

You may be able to see this in your home on the showerhead. After the shower is turned off, hot water remains in and on the showerhead. As the drops cool, the chemicals crystallize leaving a white deposit. This is the same thing happening in the experiment above. Based on information contained in this booklet, how would you remove the deposits from the showerhead?

Published by the
American Chemical Society
National Chemistry Week Office

© Copyright 1997 American Chemical Society.
All rights reserved.

EDITOR: Michael Kenney
ART DIRECTOR: Amy Meyer Phifer
COPY EDITOR: Beth Mitchell
ILLUSTRATOR: Dan Sherbo

The activities described in this booklet are intended for school children under the direct supervision of adults. The American Chemical Society cannot be responsible for any accidents or injuries that may result from conducting the activities without proper supervision, from not specifically following directions, or from ignoring the cautions contained in the text.

All of the activities in this booklet have been reviewed for safety by Dr. Jack Breazeale, Safety Consultant, Mt. Pleasant, SC.

The assistance of the following individuals is greatly appreciated:
James Kessler, Jodi Greenblatt, Denise Creech, Shirley Ford, Annie Tinneland,
Connie Lesch, Jerry Phifer, and Cyndi Anderson.

Visit the National Chemistry Week web site at: <http://www.acs.org/ncw>